## SELECTORIZED STRENGTH TRAINING EQUIPMENT SL55 HIP ADDUCTOR

Cable Cable AK50-CL085-0001 AK50-CL060-1402 Left Leg Weldment SL55-S0003-0000 Guide Rods Floating pulley Placard 0017-00009-0933 Left Upholstery Pad housing behind SL55-PL000-0001 Note: Get length from OK50-US048-0000 weight stack Customer AK50-S0007-0000 Right Leg Weldment w/Cam SL55-S0004-0000 Metal Label (2) Right Upholstery Pad OK50-01001-0000 OK50-US049-0000 Warnina Label Black Pad Set M051-00260-A000 SL55-FEA02-0P01 Seat Pad Shield Trim (29") OK50-4S055-0000 0017-00042-0989 Back Pad OK50-4S011-0000 Knee Pad, Left Weight Stack Shield OK50-4S049-0000 OK50-E0008-0000 Knee Pad, Right 0K50-4S048-0000 Decal M0-00335-A000 Wear Cover OK50-4E008-0000 5 LBS Add On Weight Black Cap (11) 050-P0312-0000 0017-00042-0969 Selector Pin (see note on next page) SK50-S0151-0000 Cable (2) — Lanyard Cord AK50-CL026-0804 0017-00009-0938 Cable Retainer Kit SK50-S0038-0000B Weight Stack (190 lbs) SK50-S0038-0000W AK50-WS002-0000 Foot Pad 4-3x4 0017-00042-1019 Weight Donut (2) 0017-00042-993 Cam Number Strip M051-00273-A000 Weight Stickers M051-00262-A000 (15-300 lbs) Pillow Block (4) M051-00265-A000 (7-140 KG) Release Handle 0017-00006-0203 SK50-S0116-0000 Rubber Grip (1" ID) Rubber Grip Selector cam 0017-00042-0995 0017-00042-0996 on bottom Grip Ring (3) Grip Cap (2) SL55-S0001-0000 OK50-P0316-2000 OK50-P0315-4000 Grip Cap (2) Pulley (4) OK50-P0315-2000 Pull Pin Kit 0017-00009-0977 Red Grip Cap (1) SK50-S0007-0000 OK50-P0315-2100 Master Link Set Screw 0017-00009-0965 0017-00101-1406

1 Rev. 08/01/05

# SELECTORIZED STRENGTH TRAINING EQUIPMENT SL55 HIP ADDUCTOR

#### Sk50-s0013-0000

Should only be used on older units where the top plate on the weight stack contains no holes. This kit consists of pin, lanyard attachment and plastic eye loop. The plastic eye loop fits over the Bayonet. The old style pin which was made of plastic is going to be upgraded with a rubber tulip head pin, but will still work with this kit.

#### 0K50-A1102-0000

Fits only on newer units. Top plate on weight stack has an extra hole to accommodate the pin assembly. Push the end of the lanyard into the hole on the top plate. This style is currently being used on all 9000 strength series and MTS Hammer Units.

2 Rev. 08/01/05

### **SL55 Cable Routing**



